

Patrizia Volpato®

Nuove forme di luce.

New Collection
2015



The image is a vertical composition. The top half features a black background with wisps of orange and yellow smoke rising from the top left. The bottom half shows a hand with light skin holding a large, glowing orange sphere. The sphere has a textured, crystalline surface and emits a warm, orange light. In the bottom right corner, there are more wisps of orange and yellow smoke. The text is written in a cursive script across the top half.

*Nothing is created,
nothing is destroyed,
everything is transformed*

Art. 250/S4



COLLIER

Collier nasce da forme complementari che allineate come una collana fuori scala consentono la creazione di lampade modulari declinabili per un utilizzo sia domestico che contract.

Collier is inspired by complementary forms that line up like an oversize necklace to create versatile modular lamps for residential or contract use.



Art. 250/S2


*Alimentatore in remoto, ON/OFF incluso

*Feeder remotely, ON/OFF included

Art. 250/S1




Finiture vetro / glass finishes



Art. 251/S1

* Alimentatore in remoto, ON/OFF incluso
* Feeder remotely, ON/OFF included



Art. 250/APP

Art. 251/APP



*Alimentatore ON/OFF incluso
*Feeder ON/OFF included



• Collier

ARTICOLE DETAILS

250/App Convesso - <i>Convex</i>	L 36 x 16 - H 13	LED 3000°K - 11,6 W - 1008 Lm
251/App Concavo - <i>Concave</i>	L 32 x 16 - H 13	LED 3000°K - 8,4 W - 792 Lm
250/S1 Convesso - <i>Convex</i>	L 36 x 13 - H 13 - 130	LED 3000°K - 11,6 W - 1008 Lm
251/S1 Concavo - <i>Concave</i>	L 32 x 13 - H 13 - 130	LED 3000°K - 8,4 W - 792 Lm
250/S2	L 64 x 13 - H 13 - 130	LED 3000°K - 20 W - 1800 Lm
250/S4	L 124 x 13 - H 13 - 130	LED 3000°K - 40 W - 3600 Lm

Convesso
Convex

Art. 250



Concavo
Concave

Art. 251

Art. 260/S3

FLUTE

Flute vuole evocare una sorta di strumento musicale diffusore luce. I vetri di tre diverse dimensioni sono ruotabili intorno al corpo illuminante consentendo l'orientamento della luce.

Flute resembles a musical instrument that spreads light. The three different sized glass components rotate around the lighting body to direct the light in varying directions.

* Alimentatore in remoto, ON/OFF incluso

* Feeder remotely, ON/OFF included




Art. 260/S3

Art. 260/S2



Finitura vetro /
glass finish





Art. 260/S1



Art. 261/S1

*Alimentatore in remoto, ON/OFF incluso
*Feeder remotely, ON/OFF included





Art. 260/APP2



Art. 261/APP

*Alimentatore in remoto, ON/OFF incluso
**Feeder remotely, ON/OFF included*



Ogni vetro può essere ruotato
a piacere

Every glass can be rotate as
you prefer



● Flute

ARTICOLE DETAILS

260/App Piccolo - <i>Small</i>	L 38 x 14 x 11	LED 3000°K - 9,5 W - 1296 Lm
261/App Grande - <i>Big</i>	L 54 x 14 x 11	LED 3000°K - 16,3 W - 2059 Lm
260/S1 (modulo piccolo) <i>small module</i>	L 38 x 11 - H 11 - 130	LED 3000°K - 9,5 W - 1296 Lm
261/S1 (modulo grande) <i>big module</i>	L 54 x 11 - H 11 - 130	LED 3000°K - 16,3 W - 2059 Lm
260/S2 (grande + piccolo) <i>big + small</i>	L 90 x 11 - H 11 - 130	LED 3000°K - 27 W - 3355 Lm
260/S3 (2 grandi + piccolo) <i>2 big + small</i>	L 143 x 11 - H 11 - 130	LED 3000°K - 43,6 W - 5414 Lm



Il progetto Aline nasce dalla sintesi calibrata tra ottica, meccanica e stile. Il corpo in metallo diventa sia componente strutturale che parte ottica per il controllo dell'emissione luminosa.


Il cristallo centrale sfaccettato genera un effetto di luce magico che evoca la semplicità e la leggerezza del prodotto nelle diverse finiture e svariate soluzioni componibili

Aline is generated from a balanced synopsis of optics, mechanics and style. The metal body is both the structure and the optical component to control the amount of light. The central faceted glass creates a magical lighting effect, enhancing the simplicity and delicacy of the lamp in a wide range of finishes and modular solutions.


Art. 270/APP




Diffusore / *light diffuser*



Alette / *Flaps*






ARTICOLE
DETAILS

• Aline

270/App

Ø 38 - SP 14 - H 11

LED 3000°K - 19 W - 2132 Lm





E S T E L L E

In Estelle l'elemento predominante è la luce, luce che si diffonde con armonia attraverso i gusci in vetro, minimal ed essenziale sa essere al tempo stesso molto elegante.

In Estelle the main element is the light, the light that spreads through harmony with the shells in glass, minimal and essential know to be both very stylish.

*Alimentatore in remoto, ON/OFF incluso
*Feeder remotely, ON/OFF included



Art. 280/S40



Art. 280/APP

**Alimentatore in remoto, ON/OFF incluso*
**Feeder remotely, ON/OFF included*




Finiture vetro /
glass finishes

Art. 280/S40



Art. 280/S25

Finitura supporto /
Frame finishes



* Alimentatore in remoto, ON/OFF incluso


* Feeder remotely, ON/OFF included



• Estelle

ARTICOLE DETAILS


280/App	L 25 x 4 - H 25	LED 3000°K - 13 W - 1700 Lm
280/S25	Ø 28 x 9 - H 30 - 130	LED 3000°K - 13 W - 1700 Lm
280/S40	Ø 40 x 10 - H 45 - 130	LED 3000°K - 17 W - 1260 Lm



C R Y P T O


Una forma originale in vetro trasparente, proposta con superfici irregolari ripetute in varie lunghezze, una creazione di design che riesce ad offrire piacevoli ed eleganti composizioni in sospensione, dando movimento e volume agli spazi che le contengono.

Crypto has an original shape in transparent glass, with irregular surfaces that recur in varying lengths, a design creation for attractive and elegant suspension compositions, giving movement and volume to their surroundings.




Art. 290/100





Finiture vetro /
glass finishes



Art. 290/APPI



Art. 290/S1



Art. 291/S5



Art. 291/S1

Art. 290/S50



Art. 290/S70

• Crypto

ARTICOLE DETAILS

290/100	L 110 x 18 - H 20 - 120	LED 3000°K - 32 W - 2376 Lm
290/App1	L 15 x 10 - H 23	LED 3000° K - 18 W - 1260 Lm
290/App2	L 15 x 10 - H 38	LED 3000° K - 18 W - 1260 Lm
290/S1	Ø 18 - H 60 - 120	LED 3000°K - 9 W - 630 Lm
290/S50	Ø 50 - H 60 - 120	LED 3000°K - 32 W - 3130 Lm
290/S70	Ø 70 - H 70 - 120	LED 3000°K - 36 W - 3630 Lm
291/S1	L 100 x 80 - H 60 - 120	8 x GU10 - LED 3000°K - 240 W - 3440 Lm
291/S5	L 100 x 400 - H 60 - 120	40 x GU10 - LED 3000°K - 36 W - 17200 Lm


Art. 4100/S



GLACE

Il vetro di Murano plasmato in forme senza tempo, in molteplici colori, da origine a creazioni di design contemporaneo e prestigioso, per arredare oltre che illuminare gli spazi con estrema eleganza.

The Murano glass shaped in timeless forms, in many colors, from origin to creations of contemporary and prestigious, to furnish as well as illuminate the spaces with extreme elegance.





Art. 4117/APP



Art. 4110/S65

Finiture vetro /
glass finishes







• Glace

ARTICOLE DETAILS

4100/S	Ø 100 x 28 - H 57 - 130	6 x G9 (max 75 W)
4110/S100	Ø 100 - H 70	10 x E27 (max 100 W)
4110/S65	Ø 65 - H 40	6 x E27 (max 100 W)
4110/S80	Ø 80 - H 55	8 x E27 (max 100 W)
4115/S100	Ø 100 - H 70	10 x E14 (max 60 W)
4115/S60	Ø 60 - H 43	6 x E14 (max 60 W)
4115/S80	Ø 80 - H 55	8 x E14 (max 60 W)
4117/App	L 35 - SP 18 - H 27	2 x E14 (max 60 W)



Art. 4150/S60



Art. 4160/APP



Finiture vetro /
glass finishes



Art. 4170/PL65



Art. 4121/170



• Glace

ARTICOLE DETAILS

4150/S100	Ø 100 - H 60	11 x E14 (max 60 W)
4150/S55	Ø 55 - H 30	5 x E14 (max 60 W)
4150/S70	Ø 70 - H 40	7 x E14 (max 60 W)
4150/S85	Ø 85 - H 50	9 x E14 (max 60 W)
4160/App	L 31 - SP 22 - H 33	2 x G9 (max 75 W)
4170/PL65	Ø 65 - H 43	6 x E14 (max 60 W)
4170/PL80	Ø 80 - H 53	9 x E14 (max 60 W)
4170/PL95	Ø 95 - H 63	12 x E14 (max 60 W)
4170/S65	Ø 65 - H 33	6 x E14 (max 60 W)
4170/S80	Ø 80 - H 43	9 x E14 (max 60 W)
4170/S95	Ø 95 - H 53	12 x E14 (max 60 W)



Art. 4600/S80







Art. 4612/S1



Art. 4613/S1

Finiture vetro /
glass finishes





Art. 4610/APP





Art. 4615/S140





Art. 4620/80



• Glace

ARTICOLE DETAILS

4600/S100	Ø 100 - H 58 - 123	10 x E27 (max 100 W)
4600/S60	Ø 60 - H 58 - 123	6 x E27 (max 100 W)
4600/S80	Ø 80 - H 58 - 123	8 x E27 (max 100 W)
4610/App	L 38 - SP 22 - H 40	2 x E14 (max 60 W)
4612/S1	Ø 08 - H 50 - 120	LED 3000°K - 9 W - 630 Lm
4613/S1	Ø 08 - H 70 - 120	LED 3000°K - 9 W - 630 Lm
4615/S100	Ø 100 x 07 - H 18 - 120	4 x G9 (max 75 W)
4615/S140	Ø 140 x 07 - H 18 - 120	5 x G9 (max 75 W)
4620/60	Ø 60 - H 55 - 120	LED 3000°K - 63 W - 4410 Lm
4620/80	Ø 80 - H 55 - 120	LED 3000°K - 63 W - 4410 Lm
4620/80.2	Ø 80 - H 110 - 210	LED 3000°K - 63 W - 4410 Lm + 6 x G9 (max 75 W)
4620/80.3	Ø 80 - H 160 - 310	LED 3000°K - 63 W - 4410 Lm + 12 x G9 (max 75 W)

Art. 5080/S




C R I S T A L L I

Racchiusa in misteriose strutture geometriche, la fantasia può finalmente esprimersi attraverso un raggio di sole. Cristalli di Patrizia Volpato è un'emozionante sfida a ricercare in queste creazioni un legame indissolubile fra il regno della magia e il nostro spirito. La luce si scompone e dà vita a molteplici forme che ci offrono preziosi soffi di energia.


Enclosed in mysterious geometrical structures, imagination is at last set free to express itself through a ray of sun. Cristalli by Patrizia Volpato is an exciting challenge in which these creations seek an indissoluble link between the reign of magic and our spirit. The light is split to give life to a myriad of forms which offer precious breaths of energy.



Art. 5083/S60



Art. 5084/S60




Art. 5083/S60

Finiture vetro / *glass finishes*






Art. 5078/S




Art. 5079/S




Art. 5078/S




Art. 5086/APP




Art. 5088/APP




Art. 5087/APP1



Art. 5081/S60



Art. 5082/S60



Art. 5081/S60



Art. 5085/S65



Art. 5085/PL65



Art. 5006/F



Art. 5024/PL60



● Cristalli

ARTICOLE DETAILS

5005/S	Ø 60 - H 166 - 216	12 x E27 (max 100 W)
5006/F	Ø 18 - H 19	1 x E14 (max 60 W)
5026/PL65	Ø 65 - H 20	8 x G9 (max 75 W)
5026/PL80	Ø 80 - H 20	10 x G9 (max 75 W)
5026/PL100	Ø 100 - H 20	12 x G9 (max 75 W)
5026/S65	Ø 65 - H 65 - 130	8 x G9 (max 75 W)
5026/S80	Ø 80 - H 65 - 130	10 x G9 (max 75 W)
5026/S100	Ø 100 - H 65 - 130	12 x G9 (max 75 W)
5027/PL60	Ø 60 - H 50	6 x E14 (max 60 W)
5027/PL80	Ø 80 - H 65	8 x E14 (max 60 W)
5027/PL100	Ø 100 - H 80	10 x E14 (max 60 W)

5081/S	Ø 100 x 20 - H 51 - 110	5 x E14 (max 60 W)
5082/S	L 60 x 40 - H 51 - 105	6 x E14 (max 60 W)
5083/S50	L 50 x 50 - H 51 - 110	4 x E27 (max 100 W)
5083/S60	L 60 x 60 - H 51 - 110	6 x E27 (max 100 W)
5083/S80	L 80 x 80 - H 51 - 110	8 x E27 (max 100 W)
5084/S60	Ø 60 - H 51 - 110	6 x E27 (max 100 W)
5084/S80	Ø 80 - H 51 - 110	8 x E27 (max 100 W)
5086/App	L 40 - SP 08 - H 31	2 x G9 (max 75 W)
5087/App1	L 32 - SP 15 - H 31	1 x E14 (max 60 W)
5087/App2	L 50 - SP 15 - H 31	2 x E14 (max 60 W)
5088/App	L 26 - SP 14 - H 31	2 x E14 (max 60 W)

Q U A D R I

Regolari geometrie che racchiudono la luce per poi riportarla a noi scomposta in una miriade di scintillanti riflessi che decorano con irregolari giochi di luce il piano d'appoggio che li sostiene. Una luminosa proposta componibile che si presta a fantasiose composizioni adattabili a varie soluzioni.

Regular forms that enclose the light to then give it to us, decomposed in a myriad of sparkling reflections, creating irregular plays of light on the surface where the lamp stands. A modular lighting solution to produce imaginative compositions that adapt to numerous situations.



Art. 455/S80x21



Finitura vetro / *glass finish*



Art. 455/PL60



Art. 455/PL30



Art. 455/S1





Art. 455/F



• Quadri



ARTICOLE DETAILS

455/App35	L 35 x 05 - H 04	LED 3000°K - 8,2 W - 580 Lm
455/App65	L 65 x 05 - H 04	LED 3000°K - 16,4 W - 1160 Lm
455/F	L 12 x 12 - H 12	1 x G9 (max 75 W)
455/PL30	L 30 x 30 - H 16	4 x G9 (max 75 W)
455/PL50	L 50 x 50 - H 16	6 x G9 (max 75 W)
455/PL60	L 60 x 60 - H 16	8 x G9 (max 75 W)
455/S1	L 12 x 12 - H 28 - 130	1 x G9 (max 75 W)
455/S140x21	L 140 x 21 - H 20 - 130	12 x G9 (max 75 W)
455/S50	L 50 x 50 - H 20 - 130	6 x G9 (max 75 W)
455/S60	L 60 x 60 - H 20 - 130	8 x G9 (max 75 W)
455/S80x21	L 80 x 21 - H 20 - 130	8 x G9 (max 75 W)

